



# MEGA MOBILE WATER PUMP THERE'S WORK TO BE DONE



### **MEGA MOBILE PUMPS POWERING PRODUCTIVITY**

BUILT FOR FAST WATER TRANSFER, WHEREVER THE JOB TAKES YOU

Mega Mobile Pumps (MMP) deliver fast, reliable water transfer for remote locations with limited access. Built for durability and ease of use, this highway-ready unit can be transported and set-up by a single operator.

Powered by a Kubota 49.6 bhp Tier 4 diesel engine (CAT® engine available), the MMP uses a hydraulic pump to operate its axial-flow water pump, lift cylinders for intake and discharge piping, and all system controls. With a nominal flow rate of up to 3,500 gallons per minute, it can fill tanks in just minutes making it fast, efficient, and field-proven.

Whether you're ready to purchase or simply have questions, your Mega Sales Team is here to help you move water quickly and without delays. Mega products, parts, and service are available through OEM dealers worldwide. Contact us at +1.505.345.2661, or toll-free in the USA @ 1.800.345.8889. Visit our website @ www.megacorpinc.com to learn more.

#### **USE IT...WHERE YOU NEED IT**







The MMP4 is designed to be towed on-highway and around the job site.


The MMP4 is capable of lifting approximately 25 feet (7.6 meters) with a discharge port of up tp 17 feet (5.2 meters) above ground level.

The MMP4 is designed to be towed on-highway and around the job site.

The MMP4 is designed to be towed on-highway and around the job site.

The frame is constructed from steel tubing welded together to form a rigid mounting platform for the components of the MMP.

#### **MEGA MOBILE PUMP EXTENDED**





Corrosion-resistant primer is applied to abrasiveblasted steel, followed by a durable urethane enamel top-coat for long-lasting protection.



The hydraulic system features a reservoir with a filter, level gauge, and eco-friendly AW46 hydraulic oil. It also includes a hydraulic pressure gauge and test ports for easy monitoring and maintenance.



#### DISCHARGE SOCK

A discharge flow straightener and sock help control water flow for safe, targeted discharge and reduces erosion in sensitive areas.



### BATTERY & BATTERY DISCONNECT

Featuring a reliable 12-volt maintenance-free battery and a convenient disconnect switch for effortless power management and enhanced safety when the equipment is not in use.



### ADJUSTABLE JACKS

Adjustable leveling jacks provide easy height adjustment and stable setup on uneven surfaces.



#### LIFTING EYES

Lifting eyes positioned on the frame allow for safe and efficient hoisting and placement using cranes or other lifting equipment.



# TIRES, FENDER & AXLES

Equipped with R16 tires designed to handle heavy loads and a single trailer axle featuring full fenders for added durability and protection. The axle is rated for 2,722 kg (6,000 lb), providing secure and reliable towing capacity during transport.



#### LOCKABLE TOOL BATTERY BOX

A lockable tool storage area is integrated into the battery box, keeping essential tools secure, organized, and easily accessible when needed.



The mobile water pump comes equipped with D.O.T. compliant lighting and reflectors, ensuring safe and legal transport on public roads while enhancing visibility.

# MMP-MEGA MOBILE PUMP

FEATURES DESIGNED TO KEEP WATER MOVING



Equipped with a 50-gallon diesel fuel tank, this unit delivers the capacity and reliability needed for extended operation on the job site.



#### **DIESEL ENGINE**

Powered by a Kubota 49.6 bhp Tier 4 diesel engine (CAT® engine available), the system delivers reliable performance while meeting emissions standards.



Designed for easy transport and setup, the MMP4 can be quickly deployed.



# HYDRAULIC WATER PUMP

A hydraulically driven axial flow water pump delivers consistent performance and reliable water flow for demanding job site applications.



A heavy-duty debris screen at the pump inlet helps prevent large particles and debris from entering the water pump.



# INTAKE & DISCHARGE TUBES

Independently adjustable intake and discharge tubes allow flexible setup and smooth water flow control, with a capacity of 3,500 gpm (13,200 lpm) for high-volume performance.



A centralized control cabinet houses the engine throttle, system controls, and instrumentation, offering easy access for simple operator and monitoring in any working environment.



The hitch assembly is rated for 4,536 kg (10,000 lb) and includes a 59 mm (2  $\frac{5}{16}$  inch) ball. A folding tongue provides easy, unobstructed access when filling water equipment.


4

### **TRUSTED**

GLOBAL MANUFACTURING PARTNERS











### **SUPERIOR** PRODUCT SUPPORT



Mega products are used worldwide with dedicated support and available on-site assistance.



Emergency after-hours parts service backed up by a well-stocked parts inventory ensures reliability.



Field service technicians provide technical guidance with the support of Mega's engineering department.



### **WE SHOW UP**

Buy Parts Online at www.megacorpinc.com

### MEET YOUR **MEGA** TEAM

#### **EQUIPMENT SALES**



**CEO & President** jkunz@megacorpinc.com 505.345.2661



**DYLAN F. THOMAS** Director of Sales and Marketing dthomas@megacorpinc.com 505.850.9800



**JOHN STUBBS** Regional Sales Manager istubbs@megacorpinc.com 505.259.5975



**KEN KNOTTS** Regional Sales Manager kknotts@megacorpinc.com 505.322.9770



CLAUDIO CÓRDOVA M. Independent Sales Rep. Latin America ccordova@megacorpinc.cl 011.56996476128



**BETZAIDA RUIZ** Senior Graphic Designer bruiz@megacorpinc.com 505.341.6966

#### PARTS SALES AND PRODUCT SUPPORT



NORM REDENSHEK Director of Part Sales, **Product Support and** Quality Assurance nredenshek@megacorpinc.com 505.235.4650



**JOSE BARRAZA** Parts Sales Representative ibarraza@megacorpinc.com 505.341.6969



**BILL TAYLOR Product Support** Sales Representative btaylor@megacorpinc.com 505.341.6988



**JEFF GUY Product Support** Sales Representative jguy@megacorpinc.com 505.341.6989



**ALEX FLORES** Parts Sales Representative aflores@megacorpinc.com 505.314.4648



RICHARD ECKERT Product Support Sales Representative reckert@megacorpinc.com 505.998.6515



LIZ WOOD **Technical Writer** lwood@megacorpinc.com 505.998.6507

Check us out on social media










# THERE'S WORK TO BE DONE NOW LET'S GET AFTER IT!



#### MEGA CORP.®

700 Osuna Rd. N.E. Albuquerque, NM 87113

1.800.345.8889 +1.505.345.2661

www.megacorpinc.com









